CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: Laughing Buddha
1117 2nd Ave
Logan, WV 256011

Batch #: MCE-027-GUM-LBA

Laboratory Number: ATL-12959

Report Issue Date: 4/19/2023

Order Date: 4/11/2023

Analysis Date: 4/19/2023

Sample Description:

D8 Gummy - Cherry Sour

Unit Weight: 6.4130g / Gummy

Extraction Technician: LL

Analytical Chemist: LL

Abraham Gacaman
Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.06	N/D	N/D
CBDV	<0.03	N/D	N/D
CBD-A	<0.03	N/D	N/D
CBG-A	<0.03	N/D	N/D
CBG	<0.02	N/D	N/D
CBD	<0.01	N/D	N/D
THCV	<0.01	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/gummy	%
THCV-A	<0.06	N/D	N/D
CBN	<0.03	N/D	N/D
D9-THC	<0.03	N/D	N/D
D8-THC	<0.03	20.78	0.32
9R-D10-THC	<0.02	N/D	N/D
9S-D10-THC	<0.02	N/D	N/D
9R-HHC	<0.01	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/gummy	%
9S-HHC	<0.01	N/D	N/D
CBC	<0.06	N/D	N/D
CBC-A	<0.03	N/D	N/D
THC-A	<0.03	N/D	N/D
D9-THCP	<0.03	N/D	N/D
D8-THCO	<0.02	N/D	N/D

	mg/gummy	%
Max Active THC	N/D	N/D
Max Active CBD	N/D	N/D

	mg/gummy	%
Total Active Cannabinoids	20.78	0.32
Total Cannabinoids	20.78	0.32

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA (954) 515 - 0200 info@accuratetestlab.com